COL	TRACT DATA	REQUIRE	MENTS LIST	Г		n Appro			
		ata Items			1	o. 0704			
including the tim needed, and compl any other aspect Imfense, Washingt Jefferson Davis Hother provision cointermation if it accept address. S	Ind nurses the thing for reviewing in eting and reviewing in of this collection on Headquarters Seighway, Suite 1200 f law, no person a does not display end completed form	nstructions, send the collection of information ervices, Direct A, Arlington, Vashall be subject a currently va	earching extends on of intermett, on, including sec orate for three 7A 22202-43th. ** it to any persing lid OMB extends	Figure (Malice), co. Bond reme mostions for resting upon the respondents sho for rolling re- tamber. Figure camber.	rathering and cis regarding t equating this bu us and Reports use be aware th comply with a o to NOT RETORN	m.intaini his burde rden, to 19704-018 at notwit 	ng the c n estima Departme 8), 1219 hstandir on of m to the	ate or ent of ong any	
A.CONTRACT LI		B.EXHIBI	B.EXHIBIT C.CATEGORY						
9G 1620-00-70 D. SYSTEM/ITE		E.CONTRA	E.CONTRACT/PR NO CO		TM TOR	OTHER[
:ATA ITEM NO.	P.TITLE OF LATA	ITEM	L CM						.T.PRICE SKOUP
1	CERTIFICATION DATA REPORT			COMPLETE	E PROCESS OPERATION SHEETS				
4.AUTHORITY (Data	Acquisition Docur	ment No.) 5.0	CONTRACT RESERVED	OF.	C.REQUIRING O	FICE			18.ESTIMATED
DI-MISC-80678/T1					DEFENSE SUPPLY CENTER Richmond				TOTAL PRICE
7.DD250 REQ 9	9.DIST STATEMENT 10FREQUENCY 12DATE OF F		12DATE OF FIR	NOT SERMEUR TO	14.0 UTRIBUTION				
LT	AS REQ. SEE BLOCK # 1			b. COPIES					
A A A A A A A A A A A A A A A A A A A		AS REO.	SEE BLOCK		A. A. DARETSEE	. 1941 1	Fir Rea	nai Repro	
1. , 1. 4.142, 1, 30.1		110 1112.	SEE BLOCK	. п 10	3384 V		178		
*UPON SUBMISSIC	2,10.2.1,10.2.2, DN OF FIRST ARTI DPERATION SHEETS FAT/PLT	CLE/PRODUCTIO			PCO		1/0		
The state of the s								TO BE ROW THE THE	
4	CERTIFICATI			L	INSPECTION		DD SHE	ETS	
DI-MISC-80678/T2					DEFENSE SUPPLY CENTER RICHMOND				18.ESTIMATED TOTAL PRICE
7.DD 250 REQ 9	DEST STATEMET REQUIRIED	10.FREQUENCY AS REQ.	12.DATE OF FI	FIRST SUBMISSION CK # 16 14 SECTREBUTION					
A A		AS REQ.	13DATE OF SUB- SUBMISSION SEE BLOCK 16		n.ADURESSEE	b. Eratr	Reg	nal Repro	
PARA 10 1 10 2 10	2 1 10 2 2 10 2 4 10 5				730 30.		1.71-		
PARA. 10.1.10.2.10.2.1,10.2.2,10.2.4,10.5					DOX.		1/6		
*UPON SUBMISSION OF FIRST ARTICLE/PRODUCTION LOT TEST SAMPLE (S) ** AT TIME OF CONTRACT COMPLETION							17.17		
							R/17		
H.DATE H.DATE HERE BY MAY 24 2003 HERE					45 d	NAY	24 20	03	
DD Form 142	3-2, AUG 96	PREVIOUS ED	OITION MAY BE	USED	Page 1	of	3 P	ages	J

Form Approved CONTRACT DATA REQUIREMENTS LIST OMB No. 0704-0188 (2 Data Items) The relief reporting burden for this collection of information of the state of the state of the state of the response, including the time for reviewing instructions, searching of the state of the stat inclosing the time for reviewing instructions, seatching of the Series and A. According to the data of the detection of the collection of range logaring this burder estimate or erskip, listed in at verifidness. Send completed that to the Government las-C.CATEGORY: A.CONTRACT LINE ITEM NO. B.EXHIBIT TDP TM OTHER . CONTRACTOR E.CONTRACT/PR NO. D. SYSTEM/ITEM 9G 1620-00-700-1738 17.PRICE GROUP . CAPA LIEM NO. 2. TITLE OF DATA ITEM REQUEST FOR WAIVER 3 CLEROTENEDO (1910B 4. AUTHORITY (Data Acquisition Document No.) | 5. CONTRACT REFERENCE TOTAL PRICE DEFENSE SUPPLY CENTER DI-CMAN-80640B Richmond 9.DIST STATEMENT REQUIRED TECSO REQ 12DATE - / / / / 14...TREBUTION 10FREQUENCY AS REQ. SEE BLOCK #16 11.AS OF DATE Rep: AS REO. SEE BLOCK #16 1/0 DCMC/ACO 1/0 DCMC/QAP 1/0 FCO NAVICP-P 1/0 470 17.PRICE GROUP JAMA ETEM NO. O.TITLE OF DATA ITEM REQUEST FOR DEVIATION 4.AUTHORITY (Data Acquisition Document No.) 5.CONTRACT RECEPTION W. KLEOVIELING CHETCH 18.ESTIMATEL TOTAL PRICE DI-CMAN-80641B DEFENSE SUPPLY CENTER RICHMOND 12.DATE OF FIRST STEMISTION 7.00 250 REQ 9.DEST STATEMET 10.FREQUENCY REQUIRTED 14 PESTRIBUTION AS REO. SEE BLOCK #16 LT lias of DATE LANGE SE na i SEE BLOCK #16 А AS REQ. LUMUZAG 170 DUNCL'QAR 1/0 NAVICE-E 1/0 H.DATE 3. PREPARED BY May 24, 2005 May 24, 2003 NAVICP-P DD Form 1423-2, AUG 96 PREVIOUS EDITION MAY BE USED Fager 2: Pages

CONTRACT DATA REQUIREMENTS LIST Form Approved OMB No. 0704-0188 (1 Data Item) ublic reporting burden for this collection of information is estimated to average 110 hours per response, including the rime for reviewing instructions, searching existing data sources, dathering long maintaining the late needed, and completing and reviewing the collection of information. Send comments requiding this builden estimate or any other ascect of this collection of information, including suggestions for reducing this buriet, to Department of Defense, Assert of this correction of lattermation, including suggestions for reduced this obtain, to department of before, Jashington Headquarters Services, Directorate for Information () english and Retours, 11.5 Jefterson Davis Highway, Nilse 1984, Arlington, VA 2000-4302, and to the Office of Huganstein and Elevet, Paperwork Reduction Project (0704-1888), Vandington, Do 2000-8. Theose DO NOT RETURN your four all the contractions of the completed form to the terminant Issuing Contracting Officer for the Contraction 1888 and 1888. arranges. Some completed form to the A. CONTRACT LINE ITEM NO. B. EXH/ATCH NO. C. CATEGORY: Tid OTHER F. CONTRACTOR 9G 1620-00-700-1738 E. CONTRACT/PR D. SYSTEM/ITEM 7.PRICE . paga imem NO. . TITLE OF DATA ITEM CERTIFICATION DATA/ REPORTS 5 19. F3T MACE DEFENSE SUPPLY CENTER APPROBERY (Data Acquisition Document No.) TOTAL Richmond puine. DI-MISC-80678/T3 IC. PREQUES AS LT SEE BLOCK 16* REQ 11. AS OF DATE rinal SEE BLOCK Α AS REO Draft 16** J.ALHKESS: F Reg Repro t. REMARKS PARA. 10.1,10.2,10.2.1,10.2.2,10.2.4,10.5 apply *BLOCK # 12- UPON SUBMITTAL OF FIRST ARTICLE SAMPLE (s) AND/OR PRODUCTION LOT SAMPLE (s). **(BLOCK # 13- REPORTS SHALL BE PROVIDED FOR THE BELOW LISTED SUB-TITLES. These certifications are required at time Production Law resting or contract completion if testing lawarized. CERTIFICATION REPORTS FOR PRIME (OEM) PROCESSES AND MATERIAL SPECIFICATIONS SHALL INCLUDE, CERTIFICATION THAT ALL VENDORS PREFORMING THESE PROCESSES ARE PRIME (OEM) (78286) SIKORSKY ACFT. APPROVED FOR THEIR SAID PROCESS DEMO/ACO 1/0 DCM T/QAR ტ 1/0 P/N:S6125-551.2- 55 BLOCK # 5- CONTRACT REFERENCE: Material: per Drawing rqmnts; forging (see dwg note 7 1/0 1. Nerkokas ba G. PREPARED BY H. DATE J. DATE

NAVICP-P

MAY 24 2003

NAVICE-E

May 24, 2003

QUALITY ASSURANCE PROVISIONS

NSN: 1620-00-700-1738

P/N: (78286) S6125-50112-000

NOMEN: Trunnion Assy, Shock Strut, Main Wheel

Articles to be furnished hereunder shall be manufactured, tested and inspected in accordance with drawing number (78286) S6125-50112-000 Rev. "P" or latest revision and all details and specifications referenced therein.

I. Quality/Inspection Requirements

- A. MIL-I-45208 or ISO 90(7) equivalent applies:
- B. First Article Testing applies:
- C. Mandatory Inspection applies.
- D. Production Lot Testing Applies

II. Supplemental Requirements

A. Additionally, para. 3.1-3.5, 5.1-5.2, 6.1-6.2 of MiL-Q-9858 or ISO 9000 equivalent apply.

B. The contractor shall identify on the process/operation sheets all manufacturing

Sources performing processes/operations outside of their facilities. These sheets shall not be revised or altered after the successful completion of First Article and/or Production Lot Testing without approval from the Engineering Support Activity (ESA), via the PCO.

- C. The Inspection Method Sheets, which list the characteristics of each item, produced under the contract shall have serial number traceability to the raw material, casting, or forging. In addition, the contractor is responsible for providing completed inspection method sheets showing the actual dimensions taken
- D. Markings should be in accordance with Mitt-STD-130 Rev "K" paragraph 5.3.3(a), (b),(c), and (g). Method and location shall be in accordance with the drawing.

III. Mandatory Inspection Requirements

During production, mandatory inspection is required to be accomplished by the contractor, as follows:

A. Level of Inspection (LOI):

1) Critical Characteristics: 100% inspection shall apply.

- 2) Major and Minor Characteristics LOI shall be in accordance with a sampling plan acceptable to the QAR.
 - B. Critical Characteristics:

DRAWING (78286) S6125-50112-000

Critical Characteristics:

(Shall be defined as below, unless defined by the Prime Contractor (78286)

Diametrical and liner dimensions having a total tolerance of 0.001 or less.

Surface finishes having a 16 value or less.

Any geometric feature control requirement with a total colerance range of 0.002 or less.

Angular tolerances with a total range less than (1) one degree.

Threads specified to class (3) three or greater.

- C. Major and Minor Characteristics:
- 1) Shall be defined by the contractor subject to OAR concurrence, unless defined on applicable drawings and associated specifications.
- IV. Unless expressly provided for elsewhere in this Clause, equipment such as fixtures, jigs, dies, patterns, templates, Mylar's, special tooling, test equipment, or any other manufacturing aid required for the manufacture and or testing of the subject items will not be provided by the Government and is the sole responsibility of the of the contractor. The foregoing applies notwithstanding any reference to such equipment or the furnishing thereof that may be contained in any drawing

FIRST ARTICLE TESTS REQUIRED (Government Testing)

I. First Article Inspection/Test Criteria:

The tests to be performed under the First Article approval clause of the contract are:

- A. Dimensional Check 100 % of finished part
- B. Form / Fit / Function
- C. Compliance with drawing, (78286) \$6125-50112-000 Rev. "P" and specifications referenced therein.
 - D. Review documentation as provided under DD 1423 requirements.

In addition to the above tests, the First Articles to be delivered hereunder shall also be subjected to those tests that will demonstrate that the articles comply with contract requirements.

The contractor shall be responsible for providing necessary parts and repair of the First Article (s) during testing.

The contractor shall be responsible for providing necessary parts and repair of the First Article Sample (s) during testing.

II. Special Instructions:

Sample (s) may be considered as production items under the contract provided the sample(s) can be refurbished to ready for issue (RFI) condition and provided the sample(s) have inspection approval of the cognizant QAR. Sample(s) may be shipped as production items only after all other units required under the contract have been produced and are ready for shipment.

Notification of Shipment of Material For Government Testing:

- A. Fourteen (14) days prior to shipment of First Article Sample (s) the contractor shall notify the designated test facility, in writing of the antisapapated shipping date, with an information copy to the PCO, ACO, and QAR The contractor shall also arrange for preliminary inspection of test samples by the CAO/QAR.
- B. Upon shipment of First Article Samples, two (2) copies of the Material Inspection and Receiving report (DD form 250), bearing the QAR's signature and indication of preliminary inspection, shall be forwarded to the PCO / ACO and the designated test facility. The envelopes shall be clearly marked, "DO NOT OPEN IN MAILROOM".

FIRST ARTICLE APPROVAL (GOVERNMENT TESTING)

A. The contractor shall deliver two (2) units of lot / item 001 (one test sample shall not have any surface treatments to verify dimensions) within 180 calendar days from the date of this contract to the government designated facility listed below.

NADEP Cherry Point F.A.T. Control Center Attn: Annie Thomas 6.1.523 MCAS Cherry Point, NC 28533

Marking of test sample (s) shipping container: "FOR FIRST ARTICLE TESTING. NOT FOR RFI, DO NOT TAKE UP IN STOCK". CONTRACT NUMBER:

For First Article Test, the shipping documentation shall contain this contract number and the lot/item identification. The characteristics that the First Article must meet and the testing requirements that are specified elsewhere in this contract.

B. If the First Article is disapproved, the contractor, upon Government request, shall submit an additional First Article for testing. After each request, the contractor shall make any necessary changes, modification, or repairs to the First Article or select another First Article for testing. All costs related to these tests are to be borne by the contractor, including any and all costs for additional tests following disapproval. The contractor shall furnish any additional First Article to the Government under the terms and conditions and within the time specified by the Government.

The government shall act on this First Article within the time limit specified. The government reserves the right to require an equitable adjustment of the contract price for any extension of the delivery schedule or for any additional costs to the Government related to these tests.

- C. If the contractor fails to deliver any First Article on time, or the contracting officer disapproves any First Article, the contractor shall be deemed to have failed to make delivery within the meaning of the default clause or this contract.
- D. Unless otherwise provided in the contract, and if the approved First Article is not consumed or destroyed in testing, the contractor-
- 1) May deliver the approved First Article as part of the contract quantity if it meets all contract requirements for acceptance.
- 2) Shall remove and dispose of any First Article from the government test facility at the contractor expense.

4

- E. If the Government does not act within the time specified the contracting officer shall, upon timely written request from the contractor, equitably adjust under the change clause of this contract the delivery or performance dates and/or the contract price, and any other contractual term affected by the delay.
- G. Before First Article approval, the acquisition of materials or components for, or the commencement of production of, the balance of the contract quantity is at the sole risk of the contractor. Before First Article approval, the costs thereof shall not be allocable to this contract for 1)-progress payments. or 2) termination settlements if the contract is terminated for the convenience of the Government.
- H. The contractor shall produce both the First Article and the production quantity at the same facility and shall submit a certification to this effect with each First Article.
- I. The contractor shall provide specific written notification to the procuring contracting officer informing him/her of the shipment of any articles furnished in accordance with this clause. Such notification must be addressed to the attention of the ACO with copies to the testing activity. Failure to provide such notification shall excuse the government from any delay in performing First Article Testing and informing the contractor of the results thereof.

PRODUCTION LOT TESTING REQUIREMENTS

The material produced under contract shall be accepted by the cognizant CAO/QAR upon the successful completion of these requirements.

I. Production Lot Test Requirements

- A. The cognizant CAO/QAR shall select two (2) item (s) at random from the production lot. In addition the QAR shall select one (1) item (s) at random from each successive lot or portion thereof.
- B. Production Lot Testing to be completed during production after First Article Approval.
- C. Sample (s) are to be unpainted. Corrosive areas to be coated with a light preservative.
- II. The tests to be performed under the Production Lot Sample testing provisions of the contract are:
- A. Compliance with drawing (78286) S6125-50112-000 Rev. "P" and all specification referenced therein.
 - B. Dimensional Check

In addition to the above tests, the Production Lot Sample(s) to be delivered hereunder shall also be subjected to those tests, which will demonstrate, that the sample(s) comply with contract requirements.

III. Testing location

A. Ship sample(s)/data to

NADEP Cherry Point F.A.T. Control Center Attn: Annie Thomas 6.1.523 MCAS Cherry Point, NC 28533

B. Shipping container marking: NON RIT

Within fifteen (15) days of completion of Production Lot Testing the CAO/QAR shall prepare and submit two (2) copies of their test report with conclusions and recommendations to the Contracting Officer.

Shipment and Distribution of Sample(s):

- A. Fourteen (14) days prior to shipment of Production Lot Sample (s) the contractor shall notify the designated test facility, in writing of the antisipapated shipping date, with an information copy to the PCO, ACO, and QAR The contractor shall also arrange for preliminary inspection of test samples by the CAO-QAR.
- B. Upon shipment of Production Lot Samples, two (2) copies of the Material Inspection and Receiving report (DD form 250), bearing the QAR's signature and indication of preliminary inspection, shall be forwarded to the PCO. ACO and the designated test facility. The envelopes shall be clearly marked. "DO SOT OPEN IN MAILROOM".
- C. Sample(s) may be considered as production demander the contract provided sample(s) can be refurbished to ready for issue (REF) condition and provided sample(s) have inspection approval of the cognizant DEMAO sample(s) may be shipped as production items only after all other units required under the contract have been produced and are ready for shipment.
- D. Sample(s) will be returned to the contractor.
- E. The designated test facility and the contracting officer shall be notified as to all shipping data applicable to the sample(s), such as bill of lading number, method of shipment, etc...14 days prior to shipping.

PRODUCTION LOT TESTING (GOVERNMENT TESTING)

A. The Production Lot Samples shall be:

1.Selected at random by the cognizant government QAR. Such sample(s) (1) one ea. shall be submitted via the cognizant government inspector; all transportation charges prepaid by the contractor to:

NADEP Cherry Point
F.A.T. Control Center
Attn: Annie Thomas 6.1.523
MCAS Cherry Point, NC 28533

2. The samples shall be identified by contract number, lot number, and be clearly marked as follows:

PRODUCTION LOT TEST SAMPLES
NOT R.F.I. MATERIAL
DO NOT TAKE UP IN STOCK

- B. Such samples shall be delivered to the lessing facility insufficient time prior to the delivery date of the production articles to allow a bt day period for testing and written notification by the contracting officer of the approval or disapproval of the samples. Within 90 days of the receipt of the samples, the testing facility shall notify contracting officer, PCO /ACO of the results of the testing, together with the recommendation for approval or disapproval.
- C. In the event the contractor does not receive written notification of approval or disapproval of the samples for a particular lot within 60 days from their submission for such testing, the contract delivery schedule shall be equitably adjusted as necessary.
- D. If the contractor fails to deliver any Production Lot Samples for testing within the time or times specified, or if the contracting officer disapproves any Production Lot Samples, the contractor shall be deemed to have failed to make delivery within the meaning of the default clause of this contract, and this contract shall be subject to termination for default.

- E. In order for a Production Lot to be acceptable all samples representative of the lot must pass all the contract requirements. In the event a sample fails to pass such requirements; the lot will be rejected. In such an event, the government may, at its option and at no additional cost to the government, (1) terminate all or any portion of this contract for default. (II) require the manufacture of a new Production Lot, or a rework of the rejected Production Lot if the means and procedures by the contractor for rework are acceptable to the government, or (III) require the submission of additional samples for test. The foregoing procedures shall apply to new or reworked Production Lots in the same way as they did to the original Production Lot.
- F. For each additional sample or each resubmission of a modified sample which the contractor is required to submit for approval hereunder as a result of a failure of a previous sample to conform to the requirements of the specification, the contractor shall pay to the government the costs of reinspection, examination and retesting and the contractor and his sureties (if any) shall be liable for the amount of such costs.
- G. Nothing contained in the foregoing provisions of this clause, and no action of the government in accordance herewith, shall in any way prejudice the right of the government under the clause of this contract entitled Default.